

New Plug & Play For Electronic and Magnetic Ballasts

T8 Retrofit	
Replaces	T-8 and T12 Tubes
Electrical	
Input Voltage	100V / 347V
Frequency	
Power Factor	
Bulb Type	LED, Frosted Lens
Optical	
Color Temperature	3000, 4000, 5000 and 6000 K
Lumens	2000
CRI	>83
Beam Angle	180°
Mechanical	
Wattage	18W
Bulb Shape	T8
Base Type	G13
Temperature Range	-55C to +55C
Material	
Lifespan	50,000 hours
Warranty	5 years
Size	
Dimensions	48" / 1200mm or Metric at 1160mm
Net Weight	
Certificates	
Certificates	CSA / UL + DLC**
SKU	
SKU	SX-T8-18W-E (For Electronic Ballasts) SX-T8-18W-M (For Magnetic Ballasts)



T-8 LED Tubes are an ideal replacement and have many advantages over fluorescent tubes. As an LED-based light source, they are environmentally friendly and much longer lasting than fluorescent tubes with a minimum of 8 to 10 years compared to 2 years with fluorescent tubes. (This is based on an average of 4000 hours usage per year or about 11 hours a day at ≤ 77 °F)

T-8 LED Tubes are compatible with existing ballasts and can be wired directly into 120v applications.

T8 LED Tubes are high-power, high-brightness, and high-efficiency, thus providing a substantial energy saving. T8 LED Tubes have a longer life than incandescent or CFL electric lights. T8 LED Tubes are green, contain no mercury, lead, or other harmful elements, and will not produce electromagnetic interference. T8 LED Tubes emit pure light color and have a high color rendering index. T8 LED Tubes do not emit ultraviolet or infrared light, nor produce harmful radiation.

**DLC Approval For 3000, 4000 & 5000 K Only



kingers-supply.com

sales@kingers-supply.com

Box 1237 Three Hills, AB, T0M2A0 403-861-0033

BULBS FLOODS HIGHBAY PANEL LIGHTS RETROFIT STREET & PARKING LIGHTS VAPOR PROOF LIGHTS WALL PACK TUNNEL & CANOPY